

Portrait



Windsor Arch front (539AFBv2) and Coal with Reversible Red Brick liner (530CSK).

A picture says a thousand words

The Valor Portrait Series offers a diverse collection of adaptive fireplace fronts complementing both traditional and contemporary room settings.

Technology

Engineered as a gas **insert** or **zero clearance** fireplace for new construction, depending on your specific need, the Portrait 530 offers two slim design fire box options. Installation possibilities are vast and welcome your architectural and interior design inspirations.

Performance

While the Portrait front collection offers a variety of stunning looks, they all share the same Valor DNA when it comes to heat performance. Powered by Valor's time proven and compact 'fits anywhere' 530 engine, you'll appreciate the Portrait's high performance efficiencies and energy saving features whatever look you decide.

Maximize the heat performance in your home: the **ValorStat programmable remote control** provides convenient, reliable and easy to use features, distributing effective heat—where you want it, when you want.

Design

Hand-crafted castings, high-quality metals and artisan patina finishes are just a few of the many features that define the Portrait Series collection. **Traditional Log**, **Coal**, **Rocks**, and **new Driftwood** fire bed options direct steady, radiant warmth, satisfying your home comfort needs.

A distinct collection of fireplace designs, proficient heat capabilities and home installation versatility make the Portrait Series a triple threat. Your living room will be a destination, a gathering place to enjoy time with your family, friends and loved ones.

An industry leader in efficient warmth, steady comfort and home safety, Valor is there for you, sharing these memories for years to come. Valor, warming homes since 1890.



Bolero front (541BPC), Traditional Log with Black Fluted liner (530LSK), and Black closure plate (3336CP).

6°

K


Clearview 545CF

A design template that is popular across our extensive line of Valor products, the Clearview front offers modern styling, ideal for insert applications in tight spaces and zero clearance new construction.

A wide range of diverse venting solutions unique to the Portrait engine make the Clearview front a perfect upgrade for your home renovation project.



Rocks (530RSK) with Reflective Glass liner (580RGL) Traditional Log, Coal and **new** Driftwood (right) also available.



Clearview zero clearance: 26"w x 30"h





Ledge 545CF


Balancing seamless design with crisp profiles, the Ledge features a beautiful collection of three complementary finishes in black powder coated paint, plated brushed nickel and artisan hand crafted patina.

With minimal impact on actual floor space, the Ledge is ideal for kitchens, dens, lofts and other small spaces.

The powder coated backing plate provides a further statement designed to frame the Ledge, adding further depth and contrast.



Ledge Black front (569LFB)



Ledge front without backing plate: 27-%"w x 30"h





Ledge Patina front (569LFP), Rocks with Black Fluted liner (530RSK), and Black Backing plate (570FPB).

Ledgeview 546LF


Inspired by Valor's Portrait Ledge, the Ledgeview is slimmer in design, offering a contemporary four-sided front—perfect for existing fireplace upgrades, major renovation or new construction.

The backing plate frames your choice of three high quality front finishes in black and bronze powder coated paint; or plated brushed nickel.

Available as insert and zero clearance, the small footprint presents the Ledgeview as an ideal fireplace for intimate home spaces.



Ledgeview fronts: Bronze (546LFZ) and Black (546LFB)








Bolero 541BPC

Designed to fit contemporary spaces both old and new, the Bolero offers a unique look that adapts to your interior.

Cast surfaces are polished smooth, then plated for a stunning finish, etched with crisp dark lines and curved outside contours.

Like all Portrait Series fires, you have the choice between Traditional Log, Coal, Rocks, or **new** Driftwood fire beds; and liners, including Black Fluted, Red Brick or optional Reflective Glass liner.














Windsor Arch 539/549AFPV2

There once was a time when families spent the evening gathered happily around a warm flame, not a television. The Windsor Arch evokes this era, providing timeless beauty and stunning craftsmanship.

Victorian castings feature chrome detailing or simplistic black finishes, both acting as the perfect backdrop as flames radiate steady, even heat for many years to come.




Windsor Arch Chrome front (539AFPv2)



Windsor Arch without backing plate: 31"w x 34"h






Classic Arch 550CPAV2

A modern tribute to the highly successful Windsor Arch front, the Classic Arch features brushed chrome highlights that accentuate cast iron finishes. Chrome curvatures define the fire bed, framing the spectacular flames within.

The Classic Arch's square cast iron plate works perfectly with mantel applications providing a seamless transition to surround finishes.



Traditional Logs with Red Brick liner (530LSK) Three other fire beds available.




President 536CXBI

Solid casting with dark, strong features accentuate the President's vertical format. Beautiful attention to detail is apparent as radiant flames illuminate the cast base, reflecting warmth to objects in the room.

Compact closure plate options provide a functional transition to existing stone and mantel work— a welcomed feature when trying to maintain the heritage look of your home.



Coal with Red Brick liner (530CSK) Three other fire beds available.












Senator 563SCB

Highlighting the fine art of quality cast iron design, the Senator fits comfortably in both well appointed and understated settings.

Attention to detail doesn't go unnoticed as warm flames reflect off the Senator's cast contours and immaculate detailing. Although compact and modest in design, the flames provide powerful Valor radiant warmth.



Senator front (563SCB)



PORTRAIT COMPONENTS

			Zero Clearance	Insert
DIRECT VENT ENGINES	Natural Gas		530IN	530INI
	Propane		530IP	530IPI
FUEL BEDS AND LINERS	Coal Red Brick/		530CSK	
	Traditional Log	Black Fluted	530LSK	
	Rocks	Black Fluted	530RSK	
	Driftwood NEW	liner	530DWK	
FRONTS				
Windsor Arch	Black Cast Iron		539AFBv2	549AFBv2
	Chrome Highlights	Iron Cast	539AFPv2	549AFPv2
Classic Arch	Chrome Highlights	Iron Cast	550CPAv2	OK as insert
Clearview	Black/Vintage Iron	with Fret	545CFVZC	545CFV
Ledgeview Ledge	Black		546LFBZC	546LFB
	Brushed Nickel		546LFNZC	546LFN
	Bronze	includes Firebox	546LFZZC	546LFZ
	Black	Grille panel (567FGP)	569LFB	n/a
	Brushed Nickel		569LFN	
	Patina		569LFP	
President	Black Cast Iron		536CXB	536CXBI
Senator	Black Cast		563SCB	OK as insert
Bolero	Polished Cast Iron		541BPC	OK as insert
			Fits:	Fits:
BACKING PLATES Black	33"w x 36"h	3336CP	 President Bolero Senator 	• President
	26"w x 31"h	582CPB	 President Windsor Senator 	President. Requires • 582CPB or
	30"w x 33"h	583CPB	 President Clearview Boleror Senator 	•583CPB Clearview
	311⁄8" w x 361⁄2" h	570FPB	•Ledge	n/a
OPTIONAL	Reflective Glass liner		580	ORGL

OPTIONAL

Reflective Glass liner	580RGL		
Traditional Black Cast Iron fret	545TFB		
Firebox Grille panel	567FGP except Coals.		
1 Hour Shut Down Handset	GV60BRK		
Non-Thermostat Handset	GV60NTK		
Wall Switch	1265WSK		
Remote Battery and Wall Switch	RBWSK		
Outdoor Conversion Kit	GV60CK0	n/a	

* To use as insert, please contact your local dealer for more information.

MODEL /FUEL BTU/hr	Model	Fuel	Max. Input	Min. Input	EnerGuide*	Max. Output* w/o fan
	530IN	NG	20,500	6,500	70.2%	15,117
	530IP	LPG	19,000	12,500	70%	14,476
	530INI	NG	20,500	6,500	64%	13,223
	530IPI	LPG	19,000	12,500	66%	13,100

About our efficiency ratings

While the North American fireplace industry is largely self-regulated, at Valor we use recognized Canadian and US government testing methods to determine our energy efficiencies, and ensure our products perform in your home as rated.

Visit valorfireplaces.com/efficiency for more information.

Certified to ANSI Z21.88-2014/ CSA 2.33-2014 Vented Gas Fireplace Heater American National Standard. CGA - 2.17-91 Gas Fired Appliances for use at High Altitudes

* EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-15 test method.

PORTRAIT DIMENSIONS

Zero Clearance: Framing

		0	
	h	W	d
President			44"
Senator	38"	26¼"	11"
Bolero			12"
Windsor Arch	07"		101/
Classic Arch	37"		131⁄8"
Clearview		22½"	12¾"
Ledgeview*	32"		
Ledge	30¼"		
AU C I	11 10		

Allow for more depth if using a rear vent elbow.

Portrait Window Size 15%" h x 16¾" w

* Ledgeview is a 4-sided front and must sit a minimum 1½" above the hearth.


Always refer to the manual for complete installation instructions.

Insert: Minimum Cavity

	h	W	d
President			9"
Senator			9
Bolero			10"
Windsor Arch	25¼"	20"	4417.
Classic Arch			11½"
Clearview			112/1
Ledgeview*			11%"
Ledgeview*			

VENTING OPTIONS


Maximum vertical vent run: 40 feet in total length.



ENGINE OPTIONS

Zero Clearance


- Coaxial venting ideal for built-in ZC applications.
- Slim engine depth.
- Direct vent coaxial system convertible to colinear.
- Engine can be either top or rear vented.
- Improved window latch for ease of service.



Insert

530INI/530IPI

- Colinear vent collar plate ideal for inserting into existing solid fuel fireplaces.
- Tapered fire box venting and slim design for fitting difficult chimney cavities.
- Adaptable direct vent colinear flex venting system.
- Removable tapered venting collar for ease of install.
- Improved window latch for ease of service.





Smart Fire by Valor

RADIANT HEAT

Like heat from the sun, Valor fireplaces distribute radiant warmth directly to your living space. Radiant heat satisfies human comfort needs, using up to 25% less energy compared to traditional forced air systems. Valor warmth efficiently replaces the chill from cold windows and doors, providing steady, even heat to people and objects in the room.

PACIFIC NORTHWEST DESIGN, **DEVELOPMENT & DISTRIBUTION**

Locally owned and operated in the Pacific Northwest, every Valor fireplace is designed, developed and manufactured exclusively for North America. With a proven product family history, Valor continues to introduce unique fireplaces that stand the test of time.

BURN CLEAN, **ENGINEERED GREEN**

Natural gas is the cleanest fireplace fuel you can burn, with the lowest particulate levels and lowest levels of greenhouse gases.

Valor specializes in the design of clean heat solutions for your home.

NO POWER, NO PROBLEM.[™]

If the power fails in the winter your home can get cold fast. Valor fireplaces are fully functional heaters that don't need electricity. Our fireplaces provide the perfect mixture of radiant and convective heat, eliminating the need for a fan. No power, no problem.

EASY CONTROL

Standard with every fireplace, our ValorStat remote control adjusts the flame up or down to match the heat output of your needs, providing a constant comfort level as the room warms or as the outside temperature falls-a fireplace for all seasons.

PRODUCT VERSATILITY

Known for our versatility in the field, Valor products are extremely diverse in their application and design. New construction or home renovation—gas inserts, zero clearance and freestanding fireplaces provide a wide range when selecting the ideal fireplace to suit your personal heating needs.

NO FAN NECESSARY

We firmly believe that you shouldn't put up with the constant buzz of a fan to

be warm. That's why we designed glowing fires to radiate heat and secondary heat exchangers to naturally circulate warm air by convection throughout the room. While a fan is an option, you'll likely find it unnecessary.





THE COMFORT ZONE



Reduce your furnace's output of hot air into empty rooms and unused spaces.

Zone heating requires no ducting or forced air, delivering radiant and convective warmth to the spaces you frequent the most. Where you want it—when you want it.

SAVINGS

Your pilot flame will



automatically turn off if your fireplace is inactive for over five days, saving energy and lowering overall home heating costs.

Keep forgetting to turn down your fireplace? Set the ValorStat to automatically turn down after six hours.

RELIABILITY



With over 100 years in the heating industry, we take pride

in providing high-quality, safe products. Engineered to provide peace of mind, every Valor product undergoes extensive safety testing before it reaches our customer.

That's why many customers own more than one Valor fireplace in their lifetime.

FIREPLACE SAFETY - USE RADIANT HEAT SAFELY

Fireplace surfaces, in particular the glass viewing window, are extremely hot during operation and will remain hot for a period of time after the fireplace is turned off. Contact with the hot glass can cause severe burns. Close adult supervision is required if there are young children, or at-risk individuals in the house. Included with your purchase, a Valor barrier screen is recommended at all times. Install an approved aftermarket safety gate to keep toddlers, young children and at-risk individuals a safe distance from the fireplace.

For more information please visit valorfireplaces.com/safety.







Copyright Miles Industries Ltd. 2017 Designed and manufactured by:







valorfireplaces.com

Your Authorized Valor Dealer